

Author Index

- Al-Ghoul, W.M., Meeker, R.B. and Greenwood, R.S.
Differential expression of five *N*-methyl-D-aspartate receptor subunit mRNAs in vasopressin and oxytocin neuroendocrine cells (44) 262
- Alvarez, J.C., see Popper, P. (44) 21
- Andrews, A., see Bengel, D. (44) 286
- Arnold, S.E., see Smutzer, G. (44) 347
- Banasik, M., see Kako, K. (44) 39
- Bartolomei, F., see Gastaldi, M. (44) 179
- Başkaya, M.K., see Rao, A.M. (44) 134
- Baudet, C., see Naveilhan, P. (44) 178
- Bengel, D., Heils, A., Petri, S., Seemann, M., Glatz, K., Andrews, A., Murphy, D.L. and Lesch, K.P.
Gene structure and 5'-flanking regulatory region of the murine serotonin transporter (44) 286
- Bérod, A., see Betancur, C. (44) 334
- Betancur, C., Rostène, W. and Bérod, A.
Chronic cocaine increases neurotensin gene expression in the shell of the nucleus accumbens and in discrete regions of the striatum (44) 334
- Birnbaum, A.K., see Wotta, D.R. (44) 55
- Blanco, C.E., Popper, P. and Micevych, P.
 α -CGRP mRNA levels in motoneurons innervating specific rat muscles (44) 253
- Bonhoeffer, T., see Griesbeck, O. (44) 171
- Brachet, P., see Naveilhan, P. (44) 178
- Brady, D.R., see Chandrasekaran, K. (44) 99
- Burnet, P.W.J., see Eastwood, S.L. (44) 92
- Cadusseau, J., see Lisovoski, F. (44) 125
- Cau, P., see Gastaldi, M. (44) 179
- Chae, H.-D. and Kim, K.-T.
Stimulation of the A_{2A} adenosine receptor increases expression of the tyrosine hydroxylase gene (44) 31
- Chandrasekaran, K., Hatanpää, K., Rapoport, S.I. and Brady, D.R.
Decreased expression of nuclear and mitochondrial DNA-encoded genes of oxidative phosphorylation in association neocortex in Alzheimer disease (44) 99
- Chernak, J.M., Hoffman, P.W., Minowa, T., Mouradian, M.M. and Roth, G.S.
Interaction of nuclear factors from young and old rat brain regions with regulatory sequences of the D₂ dopamine receptor gene promoter (44) 113
- Chihara, K., see Shigeyoshi, Y. (44) 229
- Chomchai, J.S., see Karadaghy, A.A. (44) 151
- Clark, H.B., see Young, K. (44) 147
- Cohen, B., see Gorman, S. (44) 143
- Deguchi, T., see Misawa, H. (44) 323
- Dempsey, R.J., see Rao, A.M. (44) 134
- Dlouhy, S.R., see Young, K. (44) 147
- Doyle, M.W., see Roselli, C.E. (44) 66
- Dragunow, M., see Walton, M. (44) 167
- Drescher, D.G., see Karadaghy, A.A. (44) 151
- Drescher, M.J., see Karadaghy, A.A. (44) 151
- Eastwood, S.L., Burnet, P.W.J. and Harrison, P.J.
GluR2 glutamate receptor subunit flip and flop isoforms are decreased in the hippocampal formation in schizophrenia: a reverse transcriptase-polymerase chain reaction (RT-PCR) study (44) 92
- Elde, R., see Wotta, D.R. (44) 55
- Esumi, H., see Shigeyoshi, Y. (44) 229
- Feindt, J., Krisch, B., Lucius, R. and Mentlein, R.
Meningeal cells are targets and inactivation sites for the neuropeptide somatostatin (44) 293
- Forsayeth, J.R., see Gorman, S. (44) 143
- Fujiki, M. and Steward, O.
High frequency transcranial magnetic stimulation mimics the effects of ECS in upregulating astroglial gene expression in the murine CNS (44) 301
- Funakoshi, H., see Naveilhan, P. (44) 178
- Gaku Sakaguchi, , see Naito, A. (44) 198
- Gall, C.M., see Kornblum, H.I. (44) 219
- Gastaldi, M., Bartolomei, F., Massacrier, A., Planells, R., Robaglia-Schlupp, A. and Cau, P.
Increase in mRNAs encoding neonatal II and III sodium channel α -isoforms during kainate-induced seizures in adult rat hippocampus (44) 179
- Gerdes, C., see Olesen, O.F. (44) 105
- Ghetti, B., see Young, K. (44) 147
- Glatz, K., see Bengel, D. (44) 286
- Gluckman, P., see Walton, M. (44) 167
- Gooley, A.A., see Hancox, K.A. (44) 273
- Gorman, S., Viseshakul, N., Cohen, B., Hardy, S., Grant, G.A., Yost, C.S. and Forsayeth, J.R.
A recombinant adenovirus that directs secretion of biologically active κ -bungarotoxin from mammalian cells (44) 143
- Grant, G.A., see Gorman, S. (44) 143
- Gravel, C., see Griesbeck, O. (44) 171
- Greenwood, R.S., see Al-Ghoul, W.M. (44) 262
- Griesbeck, O., Korte, M., Gravel, C., Bonhoeffer, T. and Thoenen, H.
Rapid gene transfer into cultured hippocampal neurons and acute hippocampal slices using adenoviral vectors (44) 171
- Groshan, K., see Yamada, M. (44) 12
- Hahn, C.-G., see Smutzer, G. (44) 347
- Han, L.-Y., see Smutzer, G. (44) 347
- Hancox, K.A., Gooley, A.A. and Jeffrey, P.L.
AvGp50, a predominantly axonally expressed glycoprotein, is a member of the IgLON's subfamily of cell adhesion molecules (CAMs) (44) 273
- Hardy, S., see Gorman, S. (44) 143
- Harrison, P.J., see Eastwood, S.L. (44) 92
- Hatanpää, K., see Chandrasekaran, K. (44) 99
- Heils, A., see Bengel, D. (44) 286
- Herbst, R. and Nicklin, M.J.H.
SEZ-6: promoter selectivity, genomic structure and localized expression in the brain (44) 309
- Herzog, K.-H., see Olafsson, P. (44) 73
- Hisamitsu, T., see Yamada, M. (44) 12
- Ho, A., see Spangler, R. (44) 139
- Hoffman, P.W., see Chernak, J.M. (44) 113
- Honrubia, V., see Popper, P. (44) 21
- Ibata, Y., see Shigeyoshi, Y. (44) 229
- Igarashi, H., see Naito, A. (44) 198
- Inoue, K., see Morimura, H. (44) 245
- Ishida, N., see Kako, K. (44) 39
- Ishimoto, I., see Morimura, H. (44) 245
- Jeffrey, P.L., see Hancox, K.A. (44) 273
- Jensen, P.H., see Olesen, O.F. (44) 105
- Jensen, P.J., Millan, N. and Mack, K.J.
Cortical NMDAR-1 gene expression is rapidly upregulated after seizure (44) 157
- Jorgensen, E.Z., see Roselli, C.E. (44) 66
- Kahn, A., see Lisovoski, F. (44) 125
- Kako, K., Banasik, M., Lee, K. and Ishida, N.
Regulation of cAMP response element binding protein (CREB) binding in the mammalian clock pacemaker by light but not a circadian clock (44) 39

- Karadaghy, A.A., Lasak, J.M., Chomchai, J.S., Khan, K.M., Drescher, M.J. and Drescher, D.G.
Quantitative analysis of dopamine receptor messages in the mouse cochlea (44) 151
- Khan, K.M., see Karadaghy, A.A. (44) 151
- Kim, K.-T., see Chae, H.-D. (44) 31
- Kindy, M.S., see Rao, A.M. (44) 134
- Kiyama, H., see Mizuno, M. (44) 163
- Kondo, E., see Mizuno, M. (44) 163
- Kornblum, H.I., Sankar, R., Shin, D.H., Wasterlain, C.G. and Gall, C.M.
Induction of brain derived neurotrophic factor mRNA by seizures in neonatal and juvenile rat brain (44) 219
- Korte, M., see Griesbeck, O. (44) 171
- Kreek, M.J., see Spangler, R. (44) 139
- Krisch, B., see Feindt, J. (44) 293
- Kudo, Y., see Uchino, S. (44) 1
- Lamarre-Thérout, L., see Thiffault, C. (44) 238
- Lasak, J.M., see Karadaghy, A.A. (44) 151
- Law, P.-Y., see Wotta, D.R. (44) 55
- Lawlor, P., see Walton, M. (44) 167
- Ledeer, R.W., see Wu, G. (44) 341
- Lee, K., see Kako, K. (44) 39
- Lesch, K.P., see Bengel, D. (44) 286
- Lisovoski, F., Wahrmann, J.P., Pages, J.C., Cadusseau, J., Rieu, M., Weber, A., Kahn, A. and Peschanski, M.
Long-term histological follow-up of genetically modified myoblasts grafted into the brain (44) 125
- Lopez, I., see Popper, P. (44) 21
- Lu, B., see Olafsson, P. (44) 73
- Lu, Z.-H., see Wu, G. (44) 341
- Lucius, R., see Feindt, J. (44) 293
- Mack, K.J., see Jensen, P.J. (44) 157
- Maeda, M., see Naito, A. (44) 198
- Maggos, C.E., see Spangler, R. (44) 139
- Maley, M.E., see Rao, A.M. (44) 134
- Massacrier, A., see Gastaldi, M. (44) 179
- Massi, P., see Rubino, T. (44) 191
- Matsuura, J., see Misawa, H. (44) 323
- Meeker, R.B., see Al-Ghoul, W.M. (44) 262
- Mentlein, R., see Feindt, J. (44) 293
- Metsis, M., see Naveilhan, P. (44) 178
- Meyer, D.K., see Olenik, C. (44) 83
- Micevych, P., see Blanco, C.E. (44) 253
- Mikkelsen, J.D., see Olesen, O.F. (44) 105
- Millan, N., see Jensen, P.J. (44) 157
- Minami, Y., see Morimura, H. (44) 245
- Minowa, T., see Chernak, J.M. (44) 113
- Misawa, H., Matsuura, J., Oda, Y., Takahashi, R. and Deguchi, T.
Human choline acetyltransferase mRNAs with different 5'-region produce a 69-kDa major translation product (44) 323
- Mishina, M., see Uchino, S. (44) 1
- Mizuno, M., Kondo, E., Nishimura, M., Ueda, Y., Yoshiya, I., Tohyama, M. and Kiyama, H.
Localization of molecules involved in cytokine receptor signaling in the rat trigeminal ganglion (44) 163
- Morgan, J.I., see Olafsson, P. (44) 73
- Morimura, H., Shimada, S., Otori, Y., Saishin, Y., Yamauchi, A., Minami, Y., Inoue, K., Ishimoto, I., Tano, Y. and Tohyama, M.
The differential osmoregulation and localization of taurine transporter mRNA and Na⁺/myo-inositol cotransporter mRNA in rat eyes (44) 245
- Mouradian, M.M., see Chernak, J.M. (44) 113
- Murphy, D.L., see Bengel, D. (44) 286
- Naito, A., Orita, S., Wanaka, A., Sasaki, T., Gaku Sakaguchi, Maeda, M., Igarashi, H., Tohyama, M. and Takai, Y.
Molecular cloning of mouse Doc2 α and distribution of its mRNA in adult mouse brain (44) 198
- Nakajima-Iijima, S., see Uchino, S. (44) 1
- Naveilhan, P., Neveu, I., Baudet, C., Funakoshi, H., Wion, D., Brachet, P. and Metsis, M.
1,25-Dihydroxyvitamin D₃ regulates the expression of the low-affinity neurotrophin receptor. (This article was published in *Mol. Brain Res.*, Vol. 41/1,2 (1996) 259-268) (44) 178
- Neveu, I., see Naveilhan, P. (44) 178
- Nicklin, M.J.H., see Herbst, R. (44) 309
- Nishimura, M., see Mizuno, M. (44) 163
- Nishimura, M., see Yasumi, M. (44) 205
- Oda, Y., see Misawa, H. (44) 323
- Ogura, T., see Shigeyoshi, Y. (44) 229
- Okamura, H., see Shigeyoshi, Y. (44) 229
- Olafsson, P., Soares, H.D., Herzog, K.-H., Wang, T., Morgan, J.I. and Lu, B.
The Ca²⁺ binding protein, frequenin is a nervous system-specific protein in mouse preferentially localized in neurites (44) 73
- Olenik, C. and Meyer, D.K.
Development of proenkephalin gene expression in rat neocortex: A non-radioactive in situ hybridization study (44) 83
- Olesen, O.F., Mikkelsen, J.D., Gerdes, C. and Jensen, P.H.
Isoform-specific binding of human apolipoprotein E to the non-amyloid β component of Alzheimer's disease amyloid (44) 105
- Orita, S., see Naito, A. (44) 198
- Otori, Y., see Morimura, H. (44) 245
- Pages, J.C., see Lisovoski, F. (44) 125
- Parenti, M., see Rubino, T. (44) 191
- Parolaro, D., see Rubino, T. (44) 191
- Patrini, G., see Rubino, T. (44) 191
- Peschanski, M., see Lisovoski, F. (44) 125
- Petri, S., see Bengel, D. (44) 286
- Phung, C.-T., see Yamada, M. (44) 12
- Piccardo, P., see Young, K. (44) 147
- Planells, R., see Gastaldi, M. (44) 179
- Poirier, J., see Thiffault, C. (44) 238
- Popper, P., Rodrigo, J.P., Alvarez, J.C., Lopez, I. and Honrubia, V.
Expression of the AMPA-selective receptor subunits in the vestibular nuclei of the chinchilla (44) 21
- Popper, P., see Blanco, C.E. (44) 253
- Quirion, R., see Thiffault, C. (44) 238
- Rao, A.M., Başkaya, M.K., Maley, M.E., Kindy, M.S. and Dempsey, R.J.
Beneficial effects of S-adenosyl-L-methionine on blood-brain barrier breakdown and neuronal survival after transient cerebral ischemia in gerbils (44) 134
- Rapoport, S.I., see Chandrasekaran, K. (44) 99
- Richelson, E., see Yamada, M. (44) 12
- Rieu, M., see Lisovoski, F. (44) 125
- Robaglia-Schlupp, A., see Gastaldi, M. (44) 179
- Rodrigo, J.P., see Popper, P. (44) 21
- Rodríguez, A., see Smutzer, G. (44) 347
- Rønnekleiv, O.K., see Roselli, C.E. (44) 66
- Roselli, C.E., Jorgensen, E.Z., Doyle, M.W. and Rønnekleiv, O.K.
Expression of the orphan receptor steroidogenic factor-1 mRNA in the rat medial basal hypothalamus (44) 66
- Rostène, W., see Betancur, C. (44) 334
- Roth, G.S., see Chernak, J.M. (44) 113
- Rubino, T., Patrini, G., Parenti, M., Massi, P. and Parolaro, D.
Chronic treatment with a synthetic cannabinoid CP-55,940 alters G-protein expression in the rat central nervous system (44) 191
- Ruscheinsky, D.D., see Smutzer, G. (44) 347
- Saishin, Y., see Morimura, H. (44) 245
- Sankar, R., see Kornblum, H.I. (44) 219
- Sasaki, T., see Naito, A. (44) 198
- Sato, K., see Yasumi, M. (44) 205
- Schlussman, S.D., see Spangler, R. (44) 139
- Seemann, M., see Bengel, D. (44) 286
- Shigeyoshi, Y., Ogura, T., Esumi, H., Chihara, K., Ibata, Y. and Okamura, H.
Lesion-induced neuronal nitric oxide synthase in Purkinje cells of the rat cerebellar cortex: Histochemical and in situ hybridization study (44) 229
- Shimada, S., see Morimura, H. (44) 245
- Shimada, S., see Yasumi, M. (44) 205
- Shin, D.H., see Kornblum, H.I. (44) 219
- Sirimanne, E., see Walton, M. (44) 167
- Smutzer, G., Zimmerman, J.E., Hahn, C.-G., Ruscheinsky, D.D., Rodríguez, A., Han, L.-Y. and Arnold, S.E.
Inositol 1,4,5-trisphosphate receptor expression in mammalian olfactory tissue (44) 347
- Soares, H.D., see Olafsson, P. (44) 73
- Spangler, R., Zhou, Y., Maggos, C.E., Schlussman, S.D., Ho, A. and Kreek, M.J.
Prodynorphin, proenkephalin and κ opioid receptor mRNA responses to acute "binge" cocaine (44) 139
- Steward, O., see Fujiki, M. (44) 301
- Szot, P., White, S.S. and Veith, R.C.
Effect of pentylentetrazol on the expression of tyrosine hydroxylase mRNA and norepinephrine and dopamine transporter mRNA (44) 46
- Takahashi, R., see Misawa, H. (44) 323
- Takai, Y., see Naito, A. (44) 198
- Tano, Y., see Morimura, H. (44) 245
- Thiffault, C., Lamarre-Thérout, L., Quirion, R. and Poirier, J.

- L-Deprenyl and MDL72974 do not improve the recovery of dopaminergic cells following systemic administration of MPTP in mouse (44) 238
- Thoenen, H., see Griesbeck, O. (44) 171
- Tohyama, M., see Mizuno, M. (44) 163
- Tohyama, M., see Morimura, H. (44) 245
- Tohyama, M., see Naito, A. (44) 198
- Tohyama, M., see Yasumi, M. (44) 205
- Uchino, S., Kudo, Y., Watanabe, W., Nakajima-Iijima, S. and Mishina, M.
Inducible expression of *N*-methyl-D-aspartate (NMDA) receptor channels from cloned cDNAs in CHO cells (44) 1
- Ueda, Y., see Mizuno, M. (44) 163
- Veith, R.C., see Szot, P. (44) 46
- Viseshakul, N., see Gorman, S. (44) 143
- Wahrmann, J.P., see Lisovoski, F. (44) 125
- Walton, M., Lawlor, P., Sirimanne, E., Williams, C., Gluckman, P. and Dragunow, M.
Loss of Ref-1 protein expression precedes DNA fragmentation in apoptotic neurons (44) 167
- Wanaka, A., see Naito, A. (44) 198
- Wang, T., see Olafsson, P. (44) 73
- Wasterlain, C.G., see Kornblum, H.I. (44) 219
- Watanabe, W., see Uchino, S. (44) 1
- Weber, A., see Lisovoski, F. (44) 125
- White, S.S., see Szot, P. (44) 46
- Wilcox, G.L., see Wotta, D.R. (44) 55
- Williams, C., see Walton, M. (44) 167
- Wion, D., see Naveilhan, P. (44) 178
- Wotta, D.R., Birnbaum, A.K., Wilcox, G.L., Elde, R. and Law, P.-Y.
 μ -Opioid receptor regulates CFTR coexpressed in *Xenopus* oocytes in a cAMP independent manner (44) 55
- Wu, G., Lu, Z.-H. and Ledeen, R.W.
Interaction of the δ -opioid receptor with GM1 ganglioside: conversion from inhibitory to excitatory mode (44) 341
- Yamada, M., Groshan, K., Phung, C.-T., Yamada, M., Hisamitsu, T. and Richelson, E.
The expression of mRNA for a kappa opioid receptor in the substantia nigra of Parkinson's disease brain (44) 12
- Yamada, M., see Yamada, M. (44) 12
- Yamauchi, A., see Morimura, H. (44) 245
- Yasumi, M., Sato, K., Shimada, S., Nishimura, M. and Tohyama, M.
Regional distribution of GABA transporter 1 (GAT1) mRNA in the rat brain: Comparison with glutamic acid decarboxylase₆₇ (GAD₆₇) mRNA localization (44) 205
- Yoshiya, I., see Mizuno, M. (44) 163
- Yost, C.S., see Gorman, S. (44) 143
- Young, K., Clark, H.B., Piccardo, P., Dlouhy, S.R. and Ghetti, B.
Gerstmann-Sträussler-Scheinker disease with the *PRNP* P102L mutation and valine at codon 129 (44) 147
- Zhou, Y., see Spangler, R. (44) 139
- Zimmerman, J.E., see Smutzer, G. (44) 347